SUSTAINABILITY DECLARATION TILT





QUALITY AND ENVIRONMENTAL LABELLING



MATERIAL CONTENT:

| Wood | 4,16 kg | 99,3 % |
|---------|---------|--------|
| Steel | 0,01 kg | 0,2 % |
| Plastic | 0,02 kg | 0,5 % |
| Total | 4,19 kg | 100 % |

Disclaimer: Material content is based on Tilt 070 with standard lacquere. Numbers may vary based on options selected. This applies throughout the declaration.

RECYCLED MATERIAL:

| Total recycled content | 0 kg | 0 % |
|--------------------------------|------|-----|
| Pre-consumer recycled content | 0 kg | 0 % |
| Post-consumer recycled content | 0 kg | 0 % |

RECYCLABILITY:

| Plastic | 0,02 kg | 0,5 % |
|--------------------------|---------|--------|
| Steel | 0,01 kg | 0,2 % |
| Total material recycling | 0,03 kg | 0,7 % |
| | | |
| Wood | 4,16 kg | 99,3 % |
| Total energy recovery | 4,16 kg | 99,3 % |

TOTAL CO2:



ENERGY VALUE: (in accordance with NF Environnement)

20 MJ

FULFILLED TECHNICAL STANDARDS

- EN 16139 Strength, durability and safety, for personnel weight of 110 kg.
- EN 1728 Test methods for the determination of the strength and durability
- EN 1022 Determination of stability
- EN 12720 Assessment of surface resistance to cold liquids
- SS 83 91 22 Impact of fat on a scratched surface
- EN ISO 105-E04 Colour fastness to perspiration

FULFILLED FIRE REQUIREMENTS

Furoclass D

CHEMICAL DATA

Following have not been added to the product:

Substances on Reach candidate list

Asbestos

Heavy metals

Phthalates

Brominated or halogenated flame retardants

PVC

Hexavalent chromium

COMPANY CERTIFICATIONS

- ISO 14001
- ISO 9001
- OHSAS 18001
- FSC® Chain of Custody

PACKAGING AND TRANSPORT


Packaged in recyclable packaging labeled with FSC. NC is connected to Näringslivets Producentansvar, the Swedish nationwide recycling system for packaging. The product is shipped to the consumer in Kinnarps' trucks with blankets and cardboard sheets as packing material which is returned to the factory after delivery and reused.

CARE AND MAINTENANCE RECOMMENDATIONS

Please visit our webpage.

http://www.ncnordiccare.se/care-instructions/?lang=en

RECYCLING



| Material | ID | Disassembly | Waste fraction |
|----------|------|-------------|------------------------|
| Wood | 1 | Screwdriver | Combustible waste/Wood |
| Plastic | 2 | Hammer | Plastic |
| Steel | 1, 2 | Screwdriver | Metal |

^{*}The product should in first hand be reused or remade before recycling its components.

LEED CONTRIBUTION

LEED V 4

Interior Design & Construction

| MR Credit: Interiors life-cycle impact reduction | Services offered for recycling, refreshing or reusing products. Share of recyclable material in the product: 0,7 %. |
|---|--|
| MR Credit: Building product disclosure and optimization – sourcing of raw materials | Recycled content: Post consumer 0 %, Pre consumer 0 %. The product is FSC labelled. |

Building Design and Construction

| MR Credit: Building product disclosure and optimization – sourcing of raw materials | Recycled content: Post consumer 0 %, Pre consumer 0 %. The product is FSC labelled. |
|---|--|
| MR Credit: Furniture and medical furnishings (healthcare) | The product contains no or less than 100ppm hexavalent chromium, heavy metals, PFCs or PFOA, or added anti-microbial treatments. Recycled content: Post consumer 0 %, Pre consumer 0 %. The product is FSC labelled. |

Building Operations and Maintenance

| MR Credit: purchasing—facility maintenance and renovation | The product does not contain any substances on REACH Authorization or Candidate list. The product is FSC labelled. |
|--|---|
|--|---|

Verified date: 2024-08-19